

COOK

ENJOY

TRY

LIVE

WITH



# COMPANY PROFILE

**Royal Art Kitchen Equipment Company** is working in the field of Kitchen & Laundry Equipments - Hotel & Hospitality Accessories, Central Kitchen and Restaurants for Food Service Equipments in the whole Qatar.

We have self confidence to import, install Industrial Kitchen Equipments and employment of highly qualified employees have enabled Royal Art Kitchen Equipment Company to leap forward and specialize in the provision and installation of catering and kitchen equipment for its valued clients.

Royal Art Kitchen Equipment Company is distributor of commercial kitchen & utility equipments (both Electrical & Gas operated) for Hotels, Resorts, Hospitals, Embassies, and Canteens of Armed Forces, Educational / Professional Institutions & complete range of cooling equipments. We are fully equipped to cater to any volume of requirements in this regard, with the assurance of best quality workmanship.

We have a wide range of Kitchen Equipment fabricated to meet specific need e.g. preparation, cooking, frying, pantry, storage, washing refrigeration and service of food for commercial kitchen.

Due to its good business relationships, the company is capable to import all relevant products upon receiving client's orders.

## SERVICE AND MAINTENANCE

**To ensure best performance and long life for its products, the company has employed a well-trained and equipped Maintenance Team to provide technical maintenance services upon client's request.**

**Operation start up of new installations**

**Training of the customer's staff**

**After-sales service**

**Technical information service**

**Spare parts and emergency assistance**

**Installation manuals**

**Maintenance manuals**

**Technical brochures**

**Electrical and mechanical drawings**

# DESIGNING DEPARTMENT

Our company has a specialized Designing Department, which creates the layouts and the technical specifications of the projects.

The company has further succeeded to establish and maintain strong business relationships based on sole distributorship grounds with international companies dealing in the field of its business and including (but not limited to) the following famous companies:

## LACOR - SPAIN

Kitchen Utensils  
Cookware's  
Table Tops  
Cutleries  
Pastry Utensils  
Trolleys  
Scales  
Microwave Ovens  
Fryers  
Coffee Machines  
Food Processing Equipments

## KAPP - TURKEY

Cooking  
Preparing  
Kitchen Appliances  
Serving  
Buffet Service  
Table-Top  
Beverage  
Bar  
Carrying  
Dishwashing

## SIRMAN - ITALY

Blender  
Vegetable Cutter  
Slicer  
Planet Mixer  
Blender  
Beverage Mixer  
Cheese Grater  
Induction Cooker

## OZTI - TURKEY

Machine  
Gas Barbecue  
Planet Mixer  
Refrigerator  
Refrigerated Cold Unit  
Preparation Cold Unit  
Industrial Dishwasher  
Vegetable Washing Machine  
Salad Bar  
Banquet Trolley  
Double Sink  
Cupboard

## ICEL - PORTUGAL

Kitchen Knives & Kitchen Utensils

## BARON - ITALY

Double Deck Oven  
Cooking Range

## SILKO - ITALY

Gas & Electric Fryer  
Electric & Gas Range  
Gas & Electric Boiling Pan  
Gas & Electric Tilting Pan  
Gas & Electric Charcoal Grill  
Electric Bain Marie  
Sink Unit  
Work Table  
Self Service Line

## BECKERS - ITALY

Meat Slicer  
Sandwich Grill  
Electric Fryer  
Microwave Oven  
Electric Bain Marie Unit

## BONNA - TURKEY

Porcelain Chinaware

## BEZZERA - ITALY

Coffee Machine

## LAVAMAC - CZECH REPUBLIC

High-Spin Freestanding Washers  
Rigid Mounted Washers  
Tumble Dryers  
Hygienic Barrier Washers  
Flatwork Ironers  
Washer Extractor



# DESIGNING DEPARTMENT

## **ANIMO - NETHERLANDS**

Beverage Dispensers  
Coffee per jug  
Coffee Machines

## **DUE CIGNI - ITALY**

Kitchen Knives and Cutleries

## **TECHNOSTEEL - ITALY**

Neutral Equipments  
Self Service & Bar Equipments  
S / Steel Working Table

## **FRIULINOX - ITALY**

Refrigerated Counters & Tables  
Blast Chillers & Freezers for Baking  
Chiller/Cold Room and Freezer Room

## **PUJADAS - SPAIN**

S/S & Aluminum Cookware and Kitchenware  
GN Container  
Catering Rack System  
Frying Pans  
Transport Food Container  
Flatware

## **ELECTROLUX - ITALY**

Cooking Equipment  
Cook and Chill  
Server Equipment  
Libro Line Plug-In Equipment  
Refrigeration Equipment  
Dishwashing Equipment  
Preparation Equipment  
Ventilation

## **DALMEC - ITALY**

Refrigerated Counter  
Refrigerated Upright Cabinets  
Blast Chillers

## **TOGNANA - ITALY**

Chinaware

We hope this profile is satisfactory for your needs and that we shall receive your inquiry, order, drawings and specifications to submit our price Quotation and relevant details in due time. We are also hoping that we would have a good business relationship with you in the coming days and we await Confirmations and more Requests in the future.

Thanks and Best Regards,

Royal Art Kitchen Equipment Co.  
P.O. Box 9689  
Tel. No. 00974 4488 0711 /22 / 33  
Fax No. 00974 4488 0744  
Email: [info@royalartqatar.net](mailto:info@royalartqatar.net)  
[royal@royalartqatar.net](mailto:royal@royalartqatar.net)  
[sales@royalartqatar.net](mailto:sales@royalartqatar.net)  
[accounts@royalartqatar.net](mailto:accounts@royalartqatar.net)



# PROFESSIONAL COOKWARE

 **SPAIN**



**CASSEROLE  
WITH LID**

ØCMS.	H.CMS	LTS
20	10.0	2.90
24	10.0	4.25
28	11.0	6.70
32	12.5	10.00
36	14.0	14.20
40	15.5	19.40
45	17.0	27.00
50	20.00	38.20



**STOCKPOT WITH LID**

ØCMS.	H.CMS	LTS
20	20.0	6.20
24	24.0	10.50
28	28.0	17.20
32	32.0	25.70
36	36.0	36.50
40	40.0	50.00
45	45.0	71.50
50	50.0	38.20



**SAUCEPAN**

ØCMS.	H.CMS	LTS
12	7.0	0.75
14	7.5	1.10
16	8.0	1.60
18	9.0	2.25
20	10.0	2.90
24	10.0	4.25
28	11.0	6.70



**ROUND  
DISH WITH LID**

ØCMS.	H.CMS	LTS
36	7.0	7.00
40	8.0	10.00
45	8.5	12.00
50	9.0	17.00



**LID**

ØCMS.				
16	20	24	28	32
36	40	45	50	



**SAUTÉUSE**

ØCMS.	H.CMS	LTS
20	6.5	1.80
24	6.5	2.70
28	7.0	4.00
32	8.5	4.70
36	10.0	7.00

# UTENSILS



## LADLE

ØCMS.	H.CMS	LTS
6.50	33.50	0.07
8.00	33.50	0.12
9.00	44.50	0.20
10.00	44.50	0.25
12.00	49.00	0.50
14.00	54.00	0.75
16.00	55.50	1.00



## SKIMMER

ØCMS.	H.CMS
10	47.50
12	50.00
14	51.00
16	53.00
18	62.00
20	62.00
24	73.00
28	73.00



## PIZZA FLAT SCOOP

CMS 36



## LONG HANDLE TURNER

L. CMS 80 120 CMS



## LONG FISH TURNER

CMS L. CMS  
20.5 x 8 37.00



## SPAGHETTI SERVER

L. CMS 39



## BIG WHISK

CMS 100 129



## SQUEEZE BOTTLE

ML  
250 400 700



## SIEVE WITH CRANK

ØCMS. 20 X 22



## CHINESE STRAINER

ØCMS. 18 20 22 24

# UTENSILS

SPAIN



## LADLE

ØCMS.	H.CMS	LTS
6.50	33.50	0.07
8.00	33.50	0.12
9.00	44.50	0.20
10.00	44.50	0.25
12.00	49.00	0.50
14.00	54.00	0.75
16.00	55.50	1.00



## SKIMMER

ØCMS.	H.CMS
10	47.50
12	50.00
14	51.00
16	53.00
18	62.00
20	62.00
24	73.00
28	73.00



## MIXING BOWL

ØCMS.	H.CMS	LTS
22	11.0	2.70
26	13.0	4.00
32	17.0	9.50
36	18.0	12.00
40	21.0	14.50



## SALAD

### SPINER DRYER

ØCMS	H CMS	LTS
32	33	12.0
42	40	25.0



## POTATO

### MASHING MACHINE

ØCMS	LTS	ØCMS DISC
26	5.0	16.5
32	8.0	16.5



## LUXE OVAL

### ICE CREAM SCOOP

Stainless Steel 18 / 10  
 Size 16 X 56 MM  
 24 X 50 MM  
 36 X 46 MM



# FRY PANS



CHEF INOX CERAM

SANDWICH BOTTOM\*

ØCMS.	H.CMS
20	4.0
24	4.5
28	5.5
32	6.0



ECO - CHEF

With BOTTOM

ØCMS.	H.CMS
18	3.8
20	4.0
22	4.0
24	4.5
26	4.5
28	4.5
32	4.7
36	5.5



CHEF TRI - CAPA

ALUMINUM

ØCMS.	H.CMS
18	3.8
20	4.0
22	4.0
24	4.5
26	4.5
28	4.5
32	4.7
36	5.5
40	5.5



ROBUST

ALUMINUM

ØCMS.	H.CMS
18	3.5
20	4.0
22	4.0
24	4.5
26	4.5
28	4.5
32	4.7
36	5.5
40	5.5



FRYING PAN

ALUMINUM

ØCMS.	H.CMS
20	4.0
24	4.5
28	4.5
32	4.7



TRI  
CAPA PLUS WITH

BUTTON

ØCMS.	H.CMS
18	3.8
20	4.0
22	4.0
24	4.5
26	4.5
28	4.5
32	4.7
36	5.5




Plate Mat



Cruet Set



Shakers



Oven Digital Thermometer



Electric Thermometer



Kitchen Timer Alarm



Electric Meat Thermometer

Infrared  
Thermometer with laser*Also Available:*

- \*Digital Kitchen Timer Alarm*
- \*Freezer Alarm Thermometer*
- \*Dual Thermometer Infrared Probe*
- \*Oil Analogical Thermometer*
- \*Barbecue Thermometer Fork*
- \*Oven Thermometer*

# CAFETERIA



Automatic Coffee Machine



Coffee Mixer



Electric Kettle

REFERENCE	FILTER	VOLTAGE	POWER	CAPACITY	HEATING PLATE	PITCHER/THERMOS	DIM	WEIGHT
A	YES	220-240 V 50-60 Hz	1450 W	1.50 LTS 8 MIN	-----	1.50 LTS	17x28x38 CMS	420 KG
B	YES YES		1980 W	1.80 LTS. 8 MIN	80W	1.80 LTS PITCHER 2 LTS THERMO S		6.622 KG
C			2100 W		2 X 80W	1.80 LTS		5.82KG



Wine Cooler Stand



Shovel



Wine Cooler



Cocktail Shaker



Long Drink Spoon



Tong



Jigger

# BAR



# CHAFING DISH



## CHAFING

**DISH LUXE GN 1 / 1**

OCMS. H.CMS LTS  
60 X 46 34.5 9.0



## COFFEE URN

**CHROME LEGS**

CAPACITY 11 LTS

 **SPAIN**



## LUXE SOUP

**CHAFING DISH**

OCMS. H.CMS LTS  
46 X 48 44.5 11.0



## ELECTRIC

**SOUP KETTLE**

Voltage 220 - 240 V 5060/ HZ 475 W  
Dimension 34.5 X 36 CM  
Weight 4.50 KG



## CHOCOLATE

**FOUNTAIN**

Voltage 220 - 240 V 5060/ HZ 220 W  
Temperature 40 -50 °C  
Dimension 23 X 54.5 CM  
Capacity 1.8 LTS  
Tower Height 38 CM  
Weight 2.83 KG



## INFRARED

**HEATING LAMP**

Voltage 220 - 240V 5060/ HZ 550W  
Dimension 36 X 48 X 61 CM  
Weight 1.58 KG



Sieve



Whisk

Cms.  
25 30 35 40 45 50



Measuring Cup

60-80-125-250 ml



Rolling Pin

A CMS	B CMS
40	20
48	25



Digital Spoon Scale

300 gr



Measuring Spoon

0.62-1.25-2-5-15 ml



Pastry Gas Torch




Pastry non - stick bake set



Cookie Press Icing Set



Cutters



Moulds



PASTA MAKER

Voltage	220 -240V 5060/ HZ 200 W
Capacity	500 ML
Options of Pasta	10
Dimension	31 X 24 X 37 CM
Weight	1.30 KG



ELECTRIC

BLENDER MIXER

Voltage	220 -240 V. 50 /60 HZ
Capacity	250 W
	2.80 LTS
Dimension	23 X 31 X 25 CM
Weight	2.92 KG



ICE CREAM

MAKING MACHINE

Voltage	220 -240 V. 50 /60
Capacity	HZ 150 W
Options	1.40 LTS
Dimension	-18 °C TO -38 °C
Weight	38 X 29 X 31 CM
	875 GRS

# GASTRONORM CONTAINERS



1/1

530 X 325 MM		
HEIGHT	LTS	
20	3	
40	5.50	
55	7.20	
65	8.50	
100	13.30	
150	20.60	
200	30.00	



1/2

265 X 325 MM		
HEIGHT	LTS	
20	1.20	
40	2.50	
55	3.20	
65	4.20	
100	8.00	
150	9.90	
200	11.60	



1/3

176 X 325 MM		
HEIGHT	LTS	
20	0.80	
40	1.60	
55	2.00	
65	2.50	
100	3.80	
150	5.90	
200	8.10	



1/4

265 X 162 MM		
HEIGHT	LTS	
20	0.60	
65	1.90	
100	2.50	
150	4.10	
200	4.90	



1/6

HEIGHT	LTS	
65	1.10	
100	1.60	
150	2.50	
200	3.30	



1/9

176 X 108 MM		
HEIGHT	LTS	
65	0.70	
100	1.00	



2/1

530 X 650 MM		
HEIGHT	LTS	
20	6.50	
40	11.00	
65	18.90	
100	31.50	
150	44.90	
200	60.00	



2/3

354 X 325 MM		
HEIGHT	LTS	
20	1.70	
40	3.50	
65	5.50	
100	8.90	
150	13.60	
200	19.30	



2/4

530 X 165 MM		
HEIGHT	LTS	
40	1.80	
65	4.50	
100	5.50	
150	8.50	



Lid

SIZES

1/1	2/3
2/4	1/2
1/3	3/4
1/6	1/9



1/1

530 X 325 MM		
HEIGHT	LTS	
65	8.50	
100	13.30	
150	20.60	
200	30.00	



1/2

265 X 325 MM		
HEIGHT	LTS	
65	4.20	
100	8.00	
150	9.90	
200	11.60	



1/3

176 X 325 MM		
HEIGHT	LTS	
65	2.50	
100	3.80	
150	5.90	
200	8.10	



1/4

265 X 162 MM		
HEIGHT	LTS	
65	1.90	
100	2.50	
150	4.10	



1/6

176 X 162 MM		
HEIGHT	LTS	
65	1.10	
100	1.60	
150	2.50	



1/9

176 X 108 MM		
HEIGHT	LTS	
100	1.00	



Lid

1/1	1/2
1/3	1/4
1/6	1/9



Punched double bottom perforated

1/1	1/2
1/3	1/4
1/6	1/9

# POLYCARBONATE CONTAINERS





## PROFESSIONAL ELECTRIC

### BLENDER WITH BOWL

<b>Voltage</b>	220-240 V. 50/60 HZ	300W
<b>Capacity</b>	5.00 LTS	
<b>Dimension</b>	23 X 14.5 X 41 CM	
<b>Weight</b>	20.8 KGS	



## ELECTRIC

### KNIFE SHARPENER

<b>Voltage</b>	220-240 V. 50/60 HZ	40W
<b>Dimension</b>	16 X 11 X 7.5 CM	
<b>Weight</b>	560 GRS	

## ICE CUBE MAKER



<b>Dimension</b>	32 X 32 X 38 CM
<b>Voltage</b>	220 - 240 , 50 - 60 Hz.
<b>Power</b>	150 Watts
<b>Capacity</b>	1.50 Lts
<b>Ice Capacity</b>	10-5 Kgr /24hr



## Outdoor Gas Heater

	Voltage	Pilot Position	Height	Weight
A	220-240 V 5060/ HZ	870 G/H	224.5 CM	22 KG
B	12 KW			20 KG



**Kitchen Grater with 5 blades and squeezer**  
14.5 x 34.5 CMS

# MOOVE



## SQUARE PLATE

CODE	DIMENSION
MOV 28 KR	22X20 CM
MOV 34 KR	27X25 CM
MOV 41 KR	32X30 CM



## RECTANGULAR PLATE

CODE	DESCRIPTION
MOV 41 DT	36X25 CM



## SQUARE BOWL

CODE	DESCRIPTION
MOV 10 KS	8 X 8.5 CM



## RECTANGULAR PLATE

CODE	DESCRIPTION
MOV 49 DT	48 X 15 CM



## RECTANGULAR PLATE

CODE	DESCRIPTION
MOV 35 DT	34 X 15 CM



## FLAT PLATE

CODE	DIMENSION
MOV 28 KR	22X20 CM
MOV 34 KR	27X25 CM
MOV 41 KR	32X30 CM



## OATMEAL BOWL

CODE	DIMENSION
GRM 16 KS	16 CM
GRM 18 KS	18 CM



## PASTA PLATE

CODE	DIMENSION
GRM 30 CK	30 CM



## DEEP PLATE

CODE	DIMENSION
GRM 20 CK	20 CM

# GOURMET

# GOURMET



## OVAL DISH

CODE	DIMENSION
GRM 19 OKY	19 CM
GRM 24 OKY	24 CM
GRM 29 OKY	29 OKY
GRM 34 OKY	34 CM



## OVAL DISH

CODE	DIMENSION
RIT 25 OKY	25 CM
RIT 30 OKY	30 CM
RIT 35 OKY	35 CM



## CUP AND SAUCER COFFEE

CODE	DIMENSION
GRM 01 CF	180 CC
GRM 01 CT	16 CM
GRM 01 CFT	SET



## OVAL DISH

CODE	DIMENSION
GRM 12 DKY	12 CM
GRM 14 DKY	14 CM
GRM 17 DKY	17 CM
GRM 20 DKY	20 CM



## COFFEE CUP AND SAUCER

CODE	DIMENSION
GRM 01 KF	90 CC
GRM KT	13 CM
FRM KFT	SET



## DEEP PLATE

CODE	DIMENSION
BNC 21 CK	21 CM
BNC 23 CK	23 CM



## FLAT PLATE

CODE	DIMENSION
BNC 17 DZ	17 CM
BNC 19 DZ	19 CM
BNC 21 DZ	21 CM
BNC 25 DZ	25 CM
BNC 27 DZ	27 CM
BNC 30 DZ	30 CM



## SALAD BOWL

CODE	DIMENSION
BNC 26 KS	26 CM



## PASTA PLATE

CODE	DIMENSION
BNC 28 CK	28 CM

# BANQUET





TEA POT

CODE	DIMENSION
RIT 01 DM	850 CC



CREAMER

CODE	DIMENSION
BNC 01 ST	290 CC



COFFEE POT

CODE	DIMENSION
BNC 04 KHD	400 CC
BNC 05 KHD	750 CC



CREAMER

CODE	DIMENSION
BNC 02 ST	60 CC
BNC 03 ST	150 CC



TEA CUP AND SAUCER

CODE	DIMENSION
RIT 01 CF	190 CC
RIT 01 CF	16 CM
RIT 01 CFT	SET



TURKISH TEA CUP AND SAUCER

CODE	DIMENSION
RIT 02 KF	70 CC
RIT 02 KT	12 CM
RIT 02 KFT	SET



ESPRESSO CUP AND SAUCER

CODE	DIMENSION
BNC ESP-F	70 CC
BNC 01 ESPT-T	12 CM
BNC 01 ESP	SET



RITA COFFEE CUP & SAUCER

CODE	DIMENSION
RIT 01 KF	70 CC
RIT 01 KF	12 CM
RIT 01 KFT	SET



COOKIE STAND

CODE	DIMENSION
RIT01KK	27X21CM



SUGAR BOWL

CODE	DIMENSION
KRM 01SK	9X5CM



SUGAR BOWL

CODE	DIMENSION
PER01SK	11X7CM



VANTA BOWL

CODE	DIMENSION
VNT 08 KS	8 CM
VNT 18 KS	18 CM
VNT 22 KS	22 CM



SALAD BOWL

CODE	DIMENSION
RIT 23 KS	650 CC
	23 CM



SQUARE BOWL

CODE	DIMENSION
KRM 25 KS	100 CC
	25 CM



CONSUMME BOWL

CODE	DIMENSION
BNC 12 KKS	300 CC
	12 CM
GRM 17 KKT	17 CM



STACKABLE BOWL

CODE	DIMENSION
BNC 06 JO	6 CM
BNC 8 JO	8 CM
BNC 10 JO	10 CM
BNC 12 JO	12 CM



GRAVY BOAT

CODE	VOLUME
BNC 02 SO	150 CC
BNC 01 SO	270 CC



4 PC SAUCE SET

CODE	DIMENSION
BNC 6 JO	6 CM
BNC 05 YTB	13 CM
BNC 04 SST	SET



VASE

CODE	DIMENSION
BNC 01 VZ	15 CM



NAPKIN HOLDER

CODE	DIMENSION
PER 01 PC	10 CM



NAPKIN HOLDER

CODE	DIMENSION
VNT 01 PC	10 CM



5 PCS SALT AND PEPPER SET

CODE	DIMENSION
BNC 01 YTZ	7 CM
BNC 01 YBB	7 CM
BNC 01 YPB	7 CM
BNC 05 YTB	13 CM
YNC 05 TZ	SET



ASHTRAY

CODE	DIMENSION
BNC 01 KL	10 CM



MULTI SECTION PLATE

CODE	DIMENSION
GRM 01 KVT	33 CM
GRM 02 KVT	34 CM



4 PCS SALT AND PEPPER SET

CODE	DIMENSION
BNC 01 YTZ	7 CM
BNC 01 YBB	7 CM
BNC 04 YTB	13 CM
YNC 04 TZ	SET



SALT &amp; PEPPER SHAKER

CODE	DIMENSION
BNC 01 TZ	7 CM
BNC 01 BB	7 CM



MUSTARD JAR

CODE	DIMENSION
BNC 01 PB	90 CC

# MUGS



MUG

CODE	VOLUME
MUG 08 KIN	290 CC



MUG

CODE	VOLUME
MUG 07 KST	300 CC



MUG

CODE	VOLUME
MUG 01 KSL	290 CC



MUG

CODE	VOLUME
MUG 03 KKN	335 CC



MUG

CODE	VOLUME
MUG 06 KCR	290 CC



MUG

CODE	VOLUME
MUG 02 KAZ	360 CC



RAMEKIN BOWL

CODE	DIMENSION
OPT 9RSF	9 CM
OPT 10RSF	10CM
OPT 11RSF	11 CM



RAMEKIN BOWL

CODE	DIMENSION
OPT 14 RSF	14 CM



EARED DISH

CODE	DIMENSION
OPT 15 SH	15 CM
OPT 17 SH	17 CM
OPT 20 SH	20 CM



OVEN DISH

CODE	DIMENSION
OPT 31 FK	31 CM
OPT 36 FK	36 CM


## SERVING DISHES



## PLATES



## SERVING DISHES



## TEA AND COFFEE POTS





### Accessories



### Accessories



### SUGAR BOWLS AND CREAMERS





# CUTLERIES



CESME



YAKAMOZ



MONACO



CLOVER



CASCADE



KARISMA



MARINA



DIANA



ORION



VISION



PARIS



SUDE



VENUS

# CUTLERIES

## STEAK KNIVES



## BONING KNIVES



## PARING KNIVES



## TABLE KNIVES



# KNIVES

ITALY

## CHEF KNIVES



2C 750/15



2C 750/18

## KITCHEN KNIVES



2C 709/55



2C 710/11



2C 750/10

## CLEAVER KNIVES



2C 757/15



2C 770/18

## BUTCHER KNIVES



2C 410/36N



2C 410/26NG



2C 410/24NG



2C 410/31DNG

## OTHER KNIVES



SALMON KNIFE



CHEESE KNIFE



SANTOKU KNIFE



BREAD KNIFE



MEAT SLICER

## OTHER KNIVES



SLICING KNIFE



MINCING KNIFE



OYSTER OPENER



PIZZA KNIFE

## WOODEN BLOCKS



2C 312



2C 306



2C 333



2C 323

## CARVING FORK



2C 780/23



2C 780/29



2C 780/35

## SHARPENERS

2C 737/20



2C 730/25



2C 735/25



2C 732/30



2C 734/28





## JAPANESE SHARPENER STONES



HH-10  
Grain 280



HH-11  
Grain 1000



HH-13  
Grain 280/1000



HH-12  
Grain 3000

## COOKING SCISSORS



2C 969/21



2C 970/21

## CORKSCREWS



VM-6



VM-7

Other Colors:



# KNIVES





PRESSURE COOKER		
CODE	DIMENSION (CM)	LT
32383219	32X19	15
32383223	32X23	18
32383230	32X30	23

- 4 Independent Safety Valves for security
- Innovative Lid with easy to use locking system
- Impact Bonded Sandwich Bottom
- Fast and Efficient Heat Distribution
- Heat Resistant Side Handles
- 18/10 Stainless Steel
- Easy Cleaning With Removable Lid attachments



NON - STICK COATED CONICAL SAUTE PAN		
CODE	DIMENSION (CM)	LT
30331605	16X6	0.75
30331805	18X6.5	1.0
30332005	20X7	1.9
30332405	24X8	2.5



HARD ENOZED NON - STICK FRYPAN	
CODE	(CM)
12145024	24
12145028	28

- Stainless steel 18/10 body
- Heat Resistant Stainless Steel Professional Handles
- Impact bonded sandwich bottom
- Multiple size options for various cooking
- Even Heat distribution
- Satin Finishing

## CERAMIC



FRY PAN	
CODE	DIMENSION (CM)
50042005	20 X 4.5
50042405	24 X 5
50042806	28 X 5.8
50043206	32 X 6

## COATED ALUMINUM PANS



WOK PAN	
CODE	(CM)
50042407	24 X 6.5
50042807	28 X 7.5
50043008	30 X 8

- Latest in Non -stick Technology
- Eco Friendly: PFOA free
- Excellent Heat Conductivity compared to traditional non stick materials
- Does not deteriorate due to dry heating pans
- Induction Compatible
- Easy to clean surfaces
- Hygienic



CREPE PAN	
CODE	DIMENSION (CM)
50042502	25 X 2
50042802	28 X 2



RIBBED FRYING PAN	
CODE	DIMENSION(CM)
48011224	24
48011228	28



RIBBED SKILLET	
CODE	DIMENSION(CM)
48032632	26 X 32



FRYING PAN	
CODE	DIMENSION(CM)
48011324	24
48011328	28



CAST IRON PANS	
• Good for meat searing	
• Triple enamel coating that ensures hygiene	
• It absorbs heat rapidly and protects it for a long time	
• Also good for food presentation at buffets	
• Energy saving is provided by perfect thermal conductivity and balanced heat distribution	
• Cut and scratch resistant surface provides the convenience of using metal equipments	
• Suitable for all kinds of energy hobs and ovens	
• Non -stick, easy to clean	



SQUARE GRILL PANS	
CODE	DIMENSION(CM)
48012626	26 X 26



RECTANGULAR GRILL PANS	
CODE	DIMENSION(CM)
48012647	26 X 47



FRENCH OMELETTE PAN	
CODE	DIMENSION(CM)
48011322	22

# CARBON STEEL PANS

# KITCHEN UTENSILS



CODE	DIMENSION (CM)	PCS/CTN
50013424	34x24	12



CODE	DIMENSION (CM)	PCS/CTN
50012424	24x24	12
50012828	28x28	12



CODE	DIMENSION (CM)	PCS/CTN
50010122	22	6
50010226	26	6
50010230	30	6
50010234	34	6

## CUTTING BOARDS

CODE	DESCRIPTION	DIMENSION (CM)
49050404	Classic 4 CM	25x40
49030404	Classic 4 CM	30x40
49030504	Classic 4 CM	30x50
49030604	Classic 4 CM	40x60
49025402	Classic 2 CM	25x40
49030402	Classic 2 CM	30x40
49030502	Classic 2 CM	30x50
49025302	Classic 2 CM	32.5x53
49063202	Classic 2 CM	32.5x26.5
49060402	Classic 2 CM	60x40



Sieve  
(Stainless Steel)

Cutting Board  
for GN Pan



Storing Shelf





Mandolin



Pineapple Peeler



Colander



French Fry Cutter



¼ Segment Pasta Colander



Manual Can Opener



Meat Tenderizer



Mesh Skimmer



Round Strainer



Balloon Whisk



Mixing Spatula



Rolling Pin



Fish Scale Cleaner  
(Polyethylene)



Potato Masher



Strainer for Pot



## KITCHEN UTENSILS



## LADLES



## SERVICE TONGS



# BOWLS



Open Buffet Bowl



Conical



Boat Bowl



Candy/Nuts Bowl



Salad Bowl



Triangle Bowl



Square Bowl



Triangle Bowl



Rectangular Bowl



Round



Oval



Deep



Partitioned



Baguette



Wide Display



Oval Open Buffet



Long Display

# RATTAN BASKETS

# BREAD/FRUIT BASKETS



## DISPLAY TRAYS



Sequence Tray



Square Tray



Fish Serving Tray



Rectangular Tray



Rubber Wood (S/S Grinder)



Pillar Set



Glass



Gondola Set



Bamboo & Acrylic Set



Leather Sleeved

- Salt & Pepper
- Rectangular Sugar
- Round Sugar
- Tooth Pick Holder

# TABLE TOP

# CONDIMENTS

## Oil and Vinegar Stand



85 ML X 2



100 ML X 2



Wooden Stand 85 ML X 2

## Condiment Set



100 ML X 2



520 ML X 2



200 ML X 2



### Standard

CODE	STANDARD SELF SERVICE DIMENSION(CM)	THICKNESS (MM)
35040050	280 X 400 X 25	0.50
35040060	280 X 400 X 25	0.60
35040070	280 X 400 X 25	0.70
35040080	280 X 400 X 25	0.80
35040100	280 X 400 X 25	1.00



### 3 PARTITION

CODE	MODEL
35820003	3 PARTITION



### 5 PARTITION

CODE	MODEL
35820004	5 PARTITION



Standard  
SELF SERVICE (POLYCARBONATE)



### SERVING TRAY (ABS)

CODE	DIMENSION(CM)
46013753	370 X 530
46013646	360 X 460
46013244	320 X 440
46012736	270 X 360



Breakfast  
SELF SERVICE FOR BREAKFAST  
(POLYCARBONATE)

# SELF SERVICE TRAYS

## DELUXE CHAFING DISH



ROLL TOP W/ SOUP TUREENS

CODE	DESCRIPTION	DIMENSION (CM)
54010738	2X4.5 LTS. w/ Burner	74X46X41
54010838	2X4.5 LTS w/ Electric Heating	74X46X41



GN 11/ ROLL TOP

CODE	DESCRIPTION	DIMENSION (CM)
54010733	GN 11/ Roll Top 9LTS	74X46X41
54010833	GN 11/ Roll Top 9LTS (Electric Heating)	74X46X41

## DELUXE CHAFING DISH



GN 1/1 ROLL TOP

CODE	DESCRIPTION	DIMENSION (CM)
54010723	9 LT W/BURNER	67.5 X 53 X 44.5
54070823	9 LT W/ ELECTRICAL HEATING	67.5 X 53 X 44.5



GN 1/1

CODE	DESCRIPTION	DIMENSION (CM)
54010433	9 LT W/ BURNER	60 X 35 X 32
54010434	9 LT W/ ELECTRICAL HEATING	60 X 35 X 32

## CLASSIC CHAFING DISH

- ❖ Stays open at 90°
- ❖ Fully open at 180°
- ❖ For quick & easy cleaning
- ❖ Electrical heating unit w/9 Temperature Control
- ❖ Stackable design



# DELUXE CHAFING DISH



CODE	DESCRIPTION	DIMENSION (CM)
54010730	6 LTS w/Burner	51.5X51.5X48.5
54010830	6 LTS w/Electric Heating	51.5X51.5X48.5



CODE	DESCRIPTION	DIMENSION (CM)
54010733	6 LT W/ BURNER	74 X 46 X 41
54010833	6 LT W/ ELECTRIC HEATING	74 X 46 X 41



Name Tag



Ladle Rest



Burner Holder



Electric Heating Unit



Induction Heating



Sauce Tureen



Soup Tureen

## CHAFING DISH ACCESSORIES

# DISPENSERS



**SINGLE CEREAL  
DISPENSER**  
CAPACITY (CM)  
7 LTS 42X33X62



**DOUBLE CEREAL  
DISPENSER**  
CAPACITY DIMENSION (CM)  
14 LTS 42X45X62



**SINGLE JUICE DISPENSER**  
CAPACITY DIMENSION (CM)  
7 LTS 37X23X60



**DOUBLE JUICE DISPENSER**  
CAPACITY DIMENSION (CM)  
14 LTS 37X45X69



**DISPENSER (CM)**  
CAPACITY DIMENSION  
14 LTS 34X58



**MILK DISPENSER (CM)**  
CAPACITY DIMENSION  
5 LTS 34X58



**COFFEE URN**  
CAPACITY 19 LTS



**TEA MAKER**  
CAPACITY (LTS)

6  
7.5  
10  
12  
14  
22  
38



**TEA MAKER**  
CAPACITY (LTS)  
40  
45

## TEA MAKER

MODEL	CAPACITY(LTS)
2 Teapot Electrical	20
3 Teapot Electrical	30
4 Teapot Electrical	40
5 Teapot Electrical	50
2 TeapotElec/Gas	20
3 TeapotElec/Gas	30
4 TeapotElec/Gas	40
5 TeapotElec/Gas	50
49063202	Classic 2 CM
49060402	Classic 2 CM



**COPPER COATING (CM)**  
MODEL DIMENSION  
HOOD 60X95X45

# TEA MAKERS



Display Arc



Bowl Display Stand



Egg Stand w/Heater



Cake Display Stand



Stand



Cutlery Stand

OTHER EQUIPMENTS



Automatic Orange Juicer with Tank



Café Type Orange Juicer Machine



Electric Can Opener

Ice Bucket



Hammered (D/W)



Big (D/W)



Round Handled w/Lid

Champagne /Wine Bucket




Champagne/ Wine Bucket



Acrylic Champagne/ Wine Bucket



Bottle Stand



Champagne /Ice Bucket Stand



Wine Bucket Table Stand

# RACKS



PLATE AND TRAYS RACK  
DIMENSION (CM) COLOUR  
50x50x10 MAVI



GLASS RACK  
DIMENSION (CM) COLOUR  
50x50x10 BLUE



CUTLERY RACK  
DIMENSION (CM) COLOUR  
50x50x10 BLUE



9 COMPARTMENT BASE  
DIMENSION (CM) COLOUR  
50x50x10 BEIGE

ALSO AVAILABLE:

16 COMPARTMENT BASE	GREY
25 COMPARTMENT BASE	BLUE
36 COMPARTMENT BASE	GREEN
49 COMPARTMENT BASE	RED



9 COMPARTMENT EXTENDER

ALSO AVAILABLE:

16 COMPARTMENT BASE	GREY
25 COMPARTMENT BASE	BLUE
36 COMPARTMENT BASE	GREEN
49 COMPARTMENT BASE	RED



OPEN EXTENDER  
DIMENSION (CM) COLOUR  
50x50x4 PETROL BLUE



CUTLERY HOLDER 8 COMPARTMENTS  
DIMENSION (CM) COLOUR  
45x25x20 BEIGE GREY



DOLLY  
DIMENSION (CM)  
58x58x22  
COLOUR  
BLUE BLACK BROWN RED

# EXTENDERS





## DOUGH KNEADING ARM

MIXER ARM

BEATING ARM

- 3 different functional apparatus included: dough Kneader , Beater and Mixer
- 6 level adjustable speed function
- Designed for whipping deeply in a short time
- Optional accessories enable pasta, noodle making, and meat, sausage grinding
- Different colors provide elegant design
- DIM: 330 X 220 X 370 MM
- POWER: 0.325 kW



## CLASSICAL DOUGH KNEADER

- Kneading bowl made of AISI - 304 (Cr - Ni 18/10) stainless steel
- Stainless steel dough mixing arm for all models
- Noiseless and vibration
- free working by the help of rubber cushions
- DIM: 430 X 240 MM
- POWER: 0.55 KW
- WEIGHT: 95 KG
- CAPACITY (FLOUR): 15 LT
- CAPACITY (DOUGH): 20 LT
- \*also available:
- CAPACITY (FLOUR): (7 LT, 25 LT, 35 LT, 50 LT)
- CAPACITY (DOUGH): (15 LT, 35 LT, 50 LT, 75 LT)

## HAND BLENDER

- Stainless steel mixing arm and blade
- Protecting head
- Twin engine isolation
- Approximately 9000 rotations per minute
- Aesthetic and ergonomic design
- DIM: 786 X 157 MM
- POWER: 0.55 KW



## FOOD SLICING MACHINE

- Adonized aluminium body
- Sensible thickness adjustment
- Single phase noiseless engine
- Sharpening stone for each model
- DIM: 448 X 363 X 335 MM
- POWER: 0.14 KW
- BLADE DIAMETER: 220 MM
- SLICE THICKNESS: 0.2 - 15 MM



## VEGETABLE PROCESSOR MACHINE

- 5 different blades available for appropriate vegetable
- Optional cubic and chip cutting blades
- Safe usage, easy cleaning and maintenance
- Produced of adonized aluminium casting
- Aesthetic design via corner radius
- DIM: 530 X 240 X 510 MM
- POWER: 0.55 KW
- CAPACITY: 300 KG

## HAND BLENDER

- Makes vegetable soup, vegetable mash, sauces, juicy dough, mayonnaise, tomato mash and pesto
- Easy usage via its ergonomic design
- No need for extra maintenance other than daily cleaning
- MX -25 • DIM: 135 X 100 X 600 MM
- POWER: 0.25 Kw
- RPM: 13000
- MX -40
- DIM: 155 X 120 X 790 MM
- POWER: 0.4 Kw
- RPM: 11000





# SMALL EQUIPMENTS



## CITRUS JUICER

- Thermal protected engine
- Ergonomic and elegant design
- Apparatus in different sizes for orange, tangerine and pomegranate

DIM: 310 X 220 X 340 MM  
POWER: 0.18 KW



## DIGITAL TEA MAKER

- Elegant design
- Heat isolation. Double hull system provides heating with minimum energy
- Making tea in a short time; tea does not lose its taste because of no overheating
- Protection against resistance burn
- Cuts off the power automatically when the machine is out of water
- Easily demountable and cleanable
- DIM: 370 X 370 X 515 MM -CAPACITY: 15 LT



## HOT CHOCOLATE MACHINE

- Polycarbonate container
- Easy to use and clean
- Noiseless working
- 0 -90 °C thermostatic temperature adjustment
- DIM: 260 X 320 X 495 MM
- CAPACITY: 3 LT



## EDDY BAR BLENDER PROFESSIONAL

- Automatic Power
- Off protection
- Polycarbonate jug
- Noiseless working
- Double sided stainless steel knives
- Ideal for ice breaking and frequent usage
- DIM: 240 X 280 X 520 MM
- POWER: 1.5 KW
- CAPACITY: 1.8 LT



## COFFEE GRINDER

- Motor equipped with thermal protector
- Max. continuous operation time; 30 min.
- 60 mm diameter tempered steel grinding wheels
- Dispenser capacity: 600 g of ground coffee
- Dispenser adjustment: 5~ 12 g of ground coffee
- ON / OFF Standard version: Manuel start -up
- DIM: 170 X 340 X 410 MM
- POWER: 0.27 KW
- HOPPER CAPACITY: 2 KG



## EDDY BAR BLENDER DIGITAL

- Digital control panel
- Automatic "Power -Off" protection
- Polycarbonate jug
- Noiseless working
- Double sided stainless steel knives
- Ice breaking capability
- DIM: 205 X 230 X 510 MM
- POWER: 1.5 KW
- CAPACITY: 1.8 LT




## EDDY BAR BLENDER

- Automatic Power
- Off protection
- Polycarbonate jug
- Noiseless working
- Perfect choice for fruit juice, soup, all kinds of sauce and beverage
- Double sided stainless steel knives
- DIM: 205 X 230 X 510 MM
- POWER: 1.5 KW
- CAPACITY: 2 LT

# BLENDER

- ❖ Highly effective patented cooling system
- ❖ Ergonomic handle
- ❖ Rubber buffer between motor and shaft
- ❖ High efficiency motors
- 3 controls available
  - one speed
  - drill like speed control
  - variotronic: speed control with stabilizer
- ❖ Safety device preventing switching on by mistake
- ❖ Trigger switch for continuous blending
- ❖ 3 different motors
- ❖ IPX3 protection
- ❖ Quick coupling device
- ❖ Shafts available in 2 length: 35 and 45 cm
- ❖ Completely demountable shafts for an accurate cleaning and a longer life
- ❖ Completely stainless steel shaft and bell
- ❖ Optional:
  - wall attachment
  - exposition shelf
  - whisk
- ❖ Whisk metal gearings
- ❖ Demountable and dishwashing safe whisk



ITALY

POWER	550W 230 V
KNIVES	R.P.M. 13.000
REVOLUTIONS	
WORKING	200 LTS
CAPACITY	
NET WEIGHT	3.2 KG
DIMENSIONS	A B C
	12.5CM 19 CM 38.5 CM



POWER	750W – HPI
POWER SOURCE	230V 50/60 HZ F+N
MOTOR	R.P.M. 14.000
	+24.000
JUG	2 LTS
NET WEIGHT	5 KG



- 20 pre -set programs, of which 4 can be linked to 4 keys on the keypad and the other 16 can be recalled through the menu (all can be reprogrammed)
- 9 programs set in self -learning mode
- Display to view the programs and machine operation
- Transparent silencing bell available on request
- The square glass has been developed to ideally work with large quantities of ice, even dry
- 2 liter capacity, built out of transparent, indestructible Tritan , can be washed in dishwasher, graduated in liters, UK and U.S. gallons
- Glass lid in rubber with airtight seal with cap and graduated glass
- Knife support in stainless steel that can be fully and easily disassembled from the glass body. Knife with 4 spokes obtained from a single mould in tempered cutlery steel, easy to disassemble
- Handy and practical: you can pour the product in 3 different directions
- Perfect to prepare frozen drinks or smoothies with syrups and concentrates
- Multi -point motor puller in stainless steel

# VEGETABLE CUTTER



VENTILATED MOTOR

- ❖ Strong AISI 430 steel construction
- ❖ Detached motor and bowl for a better thermal insulation
- ❖ S/S bowl handles and heavy bottom
- ❖ High efficiency ventilated motor for continuous operation
- ❖ Strong cutlery steel knives
- ❖ Safe operations ensured by a system of micro switches on the lid
- ❖ See-through lexan lid
- ❖ Variotronic: speed control with stabilizer
- ❖ Lid with opening to add ingredients during operation
- ❖ Available with sleeplessly variable -speed drive



- ❖ Aluminum alloy and S/S construction
- ❖ Ventilated motor for continuous operation
- ❖ Thanks to its compact design the machine is easy to install inside every kitchen
- ❖ The exclusive feeding system makes easy to process also soft products like mozzarella cheese
- ❖ Safe operation is ensured by interlock switches on product pusher, lid and collecting tray
- ❖ Version with dishwashing safe S/S lid available
- ❖ Large number of disco discs available for every purpose

ITALY

## Disc Holder



POWER	515 W 230 V
DISC REVOLUTIONS	R.P.M. 300
NET WEIGHT	17.5 KG

# INDUCTION COOKER INDUCTION WOK COOKER



POWER	3500W 230V50HZ
USEFUL SURFACE	Ø 28 CM
NET WEIGHT	7.3 KG

- ❖ The induction hobs are easy to install on every working surface in kitchens, restaurants or dining rooms; thanks to the absence of fumes they are perfect for public cooking performances or when the preparations is made in view of customers
- ❖ Graduated digital controls
- ❖ Extremely easy to use and to clean
- ❖ Smooth cooking surface makes cleaning easy
- ❖ Safe operations are ensured by the cooking surface which is never heating up
- ❖ Induction hobs are energy saving thanks to heating efficiency and no need heat up
- ❖ Electric absorption is stopped when the pan is removed from the hob surface



POWER	3500W 230V50HZ
USEFUL SURFACE	28 X 28 CM
NET WEIGHT	5 KG

# PLANET MIXER



POWER	280W 230V50HZ
WHISK REVOLUTION	G./1'75+660
BOWL CAPACITY	7 LTS
NET WEIGHT	18 KG

- ❖ Metal cast planetary mixer
- ❖ **Lift able head** for bowl and tools removal and easy cleaning
- ❖ **Removable**, S/S, 7L bowl
- ❖ 3 metal tools
- ❖ D.C. **motor** with speed control
- ❖ Gear **drive** and grease lubrication
- ❖ **Safety micro switch** on the head
- ❖ **NVR device**
- ❖ **Suitable for medium density mix** (for ex. Bread dough, **about 1 kg** of flour)
- ❖ **NOT suitable for** tough mix



POWER	280W 230V50HZ
WHISK REVOLUTION	G./1'75+660
BOWL CAPACITY	10 LTS
NET WEIGHT	18 KG

- ❖ Machine body made from large thickness powder coated steel
- ❖ Bowl protection made from metal wire
- ❖ Easy to remove bowl made from stainless steel 304
- ❖ Safety micro switch for the lid and the bowl
- ❖ 3 easy to remove metal tools: aluminum spatula and hook, steel and aluminum whisk
- ❖ 3 speed gear
- ❖ Steel gear box
- ❖ Ventilated Motor

# ICE CRUSHER CHEESE GRATER

- ❖ Triton allows to crush ice in different sizes by adjusting the blade:
  - **Finely crushed ice** for the traditional Italian granites
  - **Plates for frozen cocktails** or to serve or display cold dishes
- ❖ **Safety micro switch** on the feeding month
- ❖ **Safety micro switch** on the collecting tray
- ❖ **Polished aluminum** feeding month
- ❖ **Stainless steel** parts and details
- ❖ **Aluminum and stainless steel** internal structure
- ❖ **Body and tray** are made from thermoformed alimentary plastic
- ❖ **Ribbed belt** for low power



POWER	350W 230V50HZ
MOTOR	R.P.M. 12.000
	R.P.M. 1500
MAX THICKNESS	10 MM
BOWL CAPACITY	2 LTS
NET WEIGHT	8.5 KG



POWER	
MOTOR	R.P.M. 1400
MOUTH DIMENSIONS	130x70
NET WEIGHT	16 KG

- ❖ Strong machine, simple and compact, gives a high performance and power
- ❖ It offers the possibility of grating cheese and bread with uniformity and without any waste.
- ❖ Structure realized in polished aluminum, treated steel roller anti -corrosive



## DELUX



- Designed to cool all types of drinks (Natural Fruit Juices, Coffee, Tea, Milk)
- Easy to use and versatile
- W/ Fountain pump
- Quick and Easy cleaning
- Hermetic Compressor
- Air cooled condenser
- Shockproof polycarbonate food grade bowls
- S/S structure

## MINIGEL



- Designed to make and dispense granitas and iced drinks
- Easy to use and versatile
- Magnetic System Stirrer
- Excl. patented magnetic transmission system
- Quick and Easy cleaning
- Hermetic compressor
- Air cooled condenser
- Shockproof polycarbonate food grade bowls
- S/S structure

## MT 2



- Designed to make and dispense granitas and iced drinks
- Easy to use and versatile
- Magnetic System Stirrer
- Excl. patented magnetic transmission system
- Quick and Easy cleaning
- Hermetic compressor
- Air cooled condenser
- Shockproof polycarbonate food grade bowls
- S/S structure

## COOLER & DISPENSER

## A 19



- Designed for all natural fruit juices
- Designed to stir the juice even and perfect
- Easy to use and versatile
- W/ Stirring paddle
- W/ Digital Thermometer
- Quick and Easy cleaning
- Hermetic Compressor
- Air cooled condenser
- Shockproof polycarbonate food grade bowls
- S/S structure
- 220 V

## DELICE



- Designed to mix hot chocolate and all thick drinks
- Easy to use and versatile
- W/ Stirring paddle
- W/ Double Thermostat
- Quick and Easy cleaning
- Shockproof polycarbonate food grade bowls
- S/S structure
- 220 V – 1300 W



# BIG EQUIPMENTS

ITALY



ALUMINIUM BONE SAW 1830 HP 1  
Blade length 1830 mm, cut height 320 mm.  
The motors CE are equipped with IP65 protection grade, while those EXPORT and ECO are equipped with IP55 one.  
Blade standard  $\varnothing$  8 - 16 mm, for fresh and frozen.  
Painted Single phase 230 V 1 hp



ALUMINIUM BONE SAW 2020 HP 1.5  
Blade length 2020 mm, cut height 340 mm.  
The motors CE are equipped with IP65 protection grade, while those EXPORT and ECO are equipped with IP55 one.  
Blade standard  $\varnothing$  8 - 16 mm, for fresh and frozen.  
Painted single phase 230 V 1,5 hp



POTATO PEELER 4 KG  
Stainless steel case  
Painted single phase 230 V 1,5 hp  
The machine is equipped with speed reducer with belt drive, toothed belt secure and easy in the regulation;  
The glass lid allows the operator to control the process of work;  
Stainless steel;  
The rotating plate is made of potato silicate - carbon material and aluminum;  
Connection to the cold water and drain.  
DIM: 320 X 420 X 560 MM  
PERFORMANCE: 120 KG/H



VEGETABLE CUTTER  
With adjustable speed from 900 to 2200 rounds p/m  
Painted single phase 230 V 1,5 hp  
BOWL SIZE: 24 X 12 CM  
VOLTAGE: 230 V 50 HZ 960 W



MEAT MINCER 300 KG  
MADE IN AISI 304 18/10 STAINLESS STEEL  
MINCING UNIT, TRAY AND HOPPER  
1.5 HP, WITH REVERSE GEAR  
STANDARD DIE PLATE -  $\varnothing$  4.5  
SINGLE PHASE - 230 V  
DIMENSION: 420 x 260 x 480 H MM  
300 KG/HR



MEAT MINCER 600 KG  
MADE IN AISI 304 18/10 STAINLESS STEEL  
MINCING UNIT, TRAY AND HOPPER  
1.5 HP, WITH REVERSE GEAR  
STANDARD DIE PLATE -  $\varnothing$  4.5  
SINGLE PHASE - 230 V  
DIMENSION: 450 x 300 x 470 H MM 600 KG/HR

# CARRYING



DEMONTABLE  
MODEL DIMENSION  
(CM)  
3 SHELVES 90X60X22



DEMONTABLE  
MODEL DIMENSION  
(CM)  
2 SHELVES 90X60X18



DEMONTABLE  
TRAY CART  
CAPACITY

12XGN 21/  
17XGN 11/  
17XGN 21/



MONOBLOCK  
MODEL DIMENSION COLOUR  
(CM)  
3 SHELVES 85X5 1.5X87.5 BLACK BROWN GRAY



MONOBLOCK  
MODEL DIMENSION COLOUR  
(CM)  
3 SHELVES (CLOSED) 98X58.5X88 BLACK BROWN GRAY



FIXED DISH CART  
MODEL DIMENSION COLOUR  
(CM)  
18-21 CM PLATE 75X60X80 BLACK BROWN GREY  
21-24 CM PLATE 75X60X80 BLACK BROWN GREY  
24-29 CM PLATE 80X70X80 BLACK BROWN GREY  
29-32 CM PLATE 80X70X80 BLACK BROWN GREY



ADJUSTABLE DISH CART W/ 6 DIVIDER  
MODEL DIMENSION COLOUR  
(CM)  
6 DIVIDER 110 x 71 x 80 BLACK BROWN



WASTE BIN  
DIMENSION COLOUR  
(CM)  
34.5 X 21 X 52 BLACK



CUTLERY BIN  
DIMENSION COLOUR  
(CM)  
28 X 18 X 36 BLACK



BOX – 600 INSULATED BOX  
 DIMENSION (CM) COLOUR  
 46.5X61X63 BROWN-BLUE-GREY-GREEN  
 Designed for GN Food Pan Standards.



ISOTHERMIC TRAY (5)  
 DIMENSION (CM) COLOUR  
 53X37X12 BLUE -GREY

w/o accessories  
 Available on 6 Tray



GN 11/ INSULATED BOX		
MODEL	DIMENSION (CM)	COLOUR
MAX. GN 11/-100	63.5X43.5X20	BROWN-BLUE-GREY-ARMY GREEN
MAX. GN 11/-150	63.5X43.5X25	BROWN-BLUE-GREY-ARMY GREEN
MAX. GN 11/-200	63.5X43.5X31	BROWN-BLUE-GREY-ARMY GREEN

Designed for GN Food Pan Standards.

SDX THERMO BOX  
 MODEL POWER  
 12 SHELVES 230 V 1350 W



SDX THERMO BOX

INTEGRAL DIMENSION	100 X 33 X 54 CM
EXTERNAL DIMENSION	132.5 X 53 X 76.5 CM
WEIGHT	61 KG

- ❖ Superior short heat time
- ❖ Hot air fan to immediate compensate temperature loss
- ❖ Adjustable thermostat
- ❖ Welded inside of stainless steel
- ❖ Pressed racks for easy cleaning
- ❖ 32 MM polyurethane foaming enables consistent isolation

INGREDIENT BIN W/  
 SLIDING LID  
 42 X 75 X 71 CM





## EVD

### ENERGY SAVING ELECTRONIC COFFEE MACHINE WITH MULTIPLE BOILERS

- Raised groups with 122 mm clear drop from spout tip to lower grid.
- Pull out cup stands for 82 mm drop.
- Side panels and work area illuminated by white led lights.
- Retro-illuminated touch pads, with 6 doses selection, in addition to continuous flow push button.
- Two steam wands with slide lever control taps.
- Temperature controlled hot water supply, with two different quantity settings.
- Alphanumeric display with navigational capabilities for the control and programming of the machine.
- Electronically controlled cup warmer.
- Multiple boiler system, with individual group boilers in addition to a service boiler for hot water and steam.



Technical Characteristics				
GROUPS		2	3	4
VOLTAGE	V	230/400 240/415	230/400 240/415	230/400 240/415
POWER	W	4.000 4.790	5.600 6.100	7.100 7.730
POWER PER GROUP	W	150 x 2 165 x 2	150 x 3 165 x 3	150 x 4 165 x 4
POWER OF COFFEE WATER TANK ELEMENT	W	1.000 x 2 1.090 x 2	1.000 x 3 1.090 x 3	1.000 x 4 1.090 x 4
STEAMBOILER POWER	LT./ US gal	3.000 3.270	3.000 3.270	5.000 5.445
COFFEE WATER RESERVOIR	LT./ US gal	8 / 2.11	13 / 3.43	13 / 3.43
WIDTH	L = cm. / in	80 / 31.50	104 / 40.95	128 / 50.40
DEPTH	P = cm. / in	60 / 23.63	60 / 23.63	60 / 23.63
HEIGHT	H = cm. / in	59 / 23.23	59 / 23.23	59 / 23.23



## EVD

### ELECTRONIC COFFEE MACHINE.

- Touchpads, waterproof and retro -illuminated.
- 6 programmable doses per group, with manual brewing button.
- Programmable dose hot water tap with mixer for balanced temperature.
- Two polished stainless steel wands, with ergonomically designed knobs.
- Electric cup warmer with electronic temperature control.
- Autolevel and volumetric pump.

## EPU

### SEMI AUTOMATIC COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.

- Two polished stainless steel wands, with ergonomically designed knobs.
- One manual hot water tap.
- Electric cup warmer.
- Autolevel and volumetric pump.



Technical Characteristics			
GROUPS		2	3
VOLTAGE	V	120*/230 -240 -400	230 -240 -400
POWER	W	3.100*/3.900/4.200	5.600 6.100
BOILER	Lt. / US gal.	12 / 3.17	17 / 4.49
WIDTH	L = cm. / in	80 / 31.50	104 / 40.95
DEPTH	P = cm. / in	60 / 23.63	60 / 23.63
HEIGHT	H = cm. / in	59 / 23.23	59 / 23.23



## EVD

### ELECTRONIC COFFEE MACHINE.

- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel , built in volumetric pump.
- Options for:
  - downlighters illuminating the work area
  - electric cup warmer

## EVD- COMPATTA

### ELECTRONIC TWO GROUPS COMPACT COFFEE MACHINE.

- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel , built in volumetric pump.
- Options for: - downlighters not available
  - electric cup warmer not available

## EPU

### SEMI-AUTOMATIC COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.

- Two stainless steel steam wands, one manual hot water tap.
- Autolevel , built in volumetric pump.
- Options for:
  - downlighters illuminating the work area
  - electric cup warmer

## EPU - COMPATTA

### SEMI-AUTOMATIC COMPACT COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.

- Two stainless steel steam wands, one manual hot water tap -Autolevel
- Built in volumetric pump.
- Options for: - downlighters not available
  - electric cup warmer not available



## Technical Characteristics

GROUPS		2	3	Comp
VOLTAGE	V	120*/230 -240-400	230 -240-400	120*/230 -240 -400
POWER	W	2.900* / 3.700 / 4.000	5.300 / 5.800	2.900*/ 2.900 / 3.100
BOILER	Lt. / US gal.	12 / 3.17	17 / 4.49	7 / 1.85
WIDTH	L = cm. / in	74 / 29.13	98 / 38.58	53 / 20.87
DEPTH	P = cm. / in	58 / 22.83	58 / 22.83	58 / 22.83
HEIGHT	H = cm. / in	52 / 20.47	52 / 20.47	52 / 20.47



Model: 5.8A Minimax  
LxPxH (cm): 16,5x30,5x49,5  
M ills Ø mm: 58  
RPM / W : 1.340 / 93  
Production Kg/h : 6

Voltage (V) : 110/230

Automatic grinder/ doser with body and doser in aluminium . Upper and lower dose divider, ring and dosing lever in aluminium. Continuous micrometric grind setting, dose counter and auto -stop standard. Pre -regulated for espresso.

Available colours : black, platinum.



Model: 6.4A  
LxPxH (cm): 21x36,5x63,5  
M ills Ø mm: 64  
RPM / W : 1.300 / 245  
Production Kg/h : 11

Voltage (V) : 110/230/380

Automatic grinder/ doser with body and doser in aluminium . Upper and lower dose divider, ring and dosing lever in aluminium

. Dose regulating spindle in aluminium . Continuous micrometric grind setting, dose counter and autostop standard.

Available colours : black, platinum.





Excelso

- ❖ Manual filling
- ❖ Entirely made of stainless steel 18/9
- ❖ High hour capacity; 18 LTS/ 144 cups
- ❖ Supplied with 1 glass jug, 1.8 LTS
- ❖ 2 self -regulating hot plates, can be used
- ❖ Dry boil protection
- ❖ Easy to operate
- ❖ Easy to clean
- ❖ 220 -240 V / 2250 W



M100

- ❖ Manual filling at the front
- ❖ A jug detector which starts and stops the brewing process
- ❖ Leak stop
- ❖ Acoustic signal which indicates when the coffee is ready
- ❖ Descalicator
- ❖ Self -regulating hot plates
- ❖ Continuous brew and pre -wet brew
- ❖ Easy soft keys
- ❖ Dry boil safety guard
- ❖ 220 -240 V / 2250 W



M202W

- ❖ Fixed water connection 3/4"
- ❖ Separate water boiler with no -drip tap
- ❖ A jug detector which starts and stops the brewing process
- ❖ Leak stop
- ❖ Acoustic signal which indicates when the coffee is ready
- ❖ Descalicator
- ❖ Self -regulating hot plates
- ❖ Continuous brew and pre -wet brew
- ❖ Easy soft keys
- ❖ Dry boil safety guard
- ❖ 380 -415 V / 6600 W

Drink variations  
Standard 10 Flexible drink selections, 10 preset:

1. Coffee crème
2. Coffee with milk
3. Coffee with sugar
4. Coffee with milk & sugar
5. Espresso
6. Hot chocolate
7. Coffee chocolate
8. Cappuccino
9. Wiener Melange
10. Hot water

The drink selections depend on the chosen ingredients, other options:  
• coffee black • double espresso • espresso chocolate • decaf • latte  
macchiato • hot milk • tea • soup • etc.

- ❖ Easy to install
- ❖ High capacity; up to 360 cups per hour
- ❖ Adjustable settings
- ❖ Cleaning program
- ❖ Consumption registration
- ❖ Descalicator
- ❖ Dry-boil protection
- ❖ Stainless steel boiler (5.5 LTR., temp. can be set at 70 ° - 97 ° C)
- ❖ Stainless steel housing (18/9),
- ❖ Stylish user panel
- ❖ 220 -230 V/3275 W

## OPTIVEND NG

MODELS Type	Canisters	Mixers
OV 32 NG	3 (2X 1.2 LTR. EN 1X 2.3 LTR.)	2
OV 33 NG	3 (2X 2.3 LTR. EN 1X 5.1 LTR.)	3
OV 42 NG	4 (4X 2.3 LTR.)	2
OV 43 NG	4 (4X 2.3 LTR.)	3
OV 53 NG	5 (3X 1.2 EN 2X 2.3 LTR. LTR.)	3
OV 63 NG	6 (5X 1.2 LTR. EN 1X 2.3 LTR.)	3

# COFFEE MACHINES FRESH BREW



- ❖ Unique brewing system
- ❖ Permanent stainless steel filter
- ❖ 1 canister for fresh brew coffee: abt. 1800 GR
- ❖ 1 canister for instant ingredients
- ❖ Plug & play
- ❖ Dosing time (120 ML): 28 SEC
- ❖ Coffee capacity per hour: 130 (120 ml)
- ❖ Compact size: 403(W)X573(D)X773(H) MM.
- ❖ Electrical connection: 1N~230V/50 602Cy/2300W
- ❖ Adjustable cup tray: 60 115 MM. (CUP)
- ❖ Suitable for jugs: 167 MM
- ❖ Separate outlet for coffee and hot water
- ❖ Simple to operate
- ❖ Large waste compartment: 6.7 l
- ❖ Stainless steel boiler: 3 l
- ❖ Adjustable coffee strength
- ❖ Stop button
- ❖ LED OptiLight
- ❖ Intelligent Energy Save Mode
- ❖ Cleaning program
- ❖ Consumption registration
- ❖ Water connection: 3/4"

## OPTIFRESH 2 NG Drink variations

1. Coffee
2. Coffee with milk
3. Cappuccino
4. Latte Machiato
5. Hot water



The drink selections depend on the chosen ingredients,  
other options:

- Chocolate • Coffee chocolate • Espresso (fresh brew) •
- double espresso (fresh brew) • tea • Espresso chocolate
- (fresh brew) • Hot milk

## OPTIBEAN



- ❖ Espresso brewing system (MIN. MAX. 9.5 GR.)
- ❖ Grinder with ceramic burrs
- ❖ Bean hopper
- ❖ Dosing time (120 ML): 25 30 SEC.
- ❖ Compact size: 402(W) X 564(D) X 790(H) MM
- ❖ Electrical connection: 220 240V/50- 60CY/2275W
- ❖ Separate outlet for hot water
- ❖ Adjustable cup tray: 60 115 MM
- ❖ Max. drain height: 167 MM
- ❖ Simple to operate
- ❖ Adjustable coffee strength (also for milk and sugar)
- ❖ STOP button
- ❖ OptiLight
- ❖ Intelligent Energy Save Mode
- ❖ Automatic cleaning
- ❖ Consumption registration
- ❖ Rotary Vane Pump (Procon) 10 bar
- ❖ Fixed water connection 3/4"

## OPTIBEAN 2 Drink variations

1. Coffee (cup/mug)
2. Coffee with milk
3. Espresso
4. Cappuccino
5. Latte Machiato
6. Hot water



The drink selections depend on the chosen ingredients,  
other options:

- Coffee chocolate • Chocolate • Espresso chocolate • Decaf
- Tea • Coffee with sugar • Hot milk • Chocolate with milk •
- Double espresso • Cold water

# AUTOMATIC COFFEE MACHINE

# CAPSULE COFFEE MACHINE

## SPECIFICATIONS



Outer Covering:	PLASTIC (ABS)	Coffee Powder Volume Adjusting Range:	5 -15 g
Voltage:	110V~240V~ 50HZ/60HZ	Coffee volume Adjusting Range:	30 -240ml
Rated Power:	1200 -1400W	Coffee Flow:	100cups/hour
Frequency :	Pump Pressure: Static.Max.15bar	Upright of Waterspout Adjusting Range:	70 -110mm
Inner Working Pressure:	8- 9bar	Length of Power Cord:	approx.1.3m
		Measurements of Machine: 450mm	280mmx360mmx
		Outlet Coffee Temperature:	87± c~90
		Coffee Powder Fineness Adjusting Range:	6 levels Heating for Stream Time: 30 -60 seconds
Certificate of approval: CE, CB, GS, 14001:2004RoHs , REACH, LFGB, SAA, KC, ISO 9001:2000, ISO			



## SPECIFICATIONS

Rated Voltage:	220 -240 V
Rated Frequency:	50 HZ
Rated Power:	1400 W
Pump Pressure:	15/19/20bars, type
Water Tank Capacity:	1.2 L
Drip Tray Capacity:	350 ML
Protection Class:	1
Material:	ABS plastic housing.
Certificates:	CE,GS, ETL, ETL,SAA,ROHS

## SPECIFICATIONS



Outer Covering:	ABS+SAN(SAN for water tank, food grade)	Pump Pressure:	20 ±2Bar
Voltage:	110V~240V~	Inner Working Pressure:	9 BAR
Frequency :	50HZ/60HZ	Coffee Outlet Pressure:	0
Rated Power:	1200 -1400W	Outlet Coffee Temperature:	75 -85 °c
Measurements of Machine:	L260 x W220 x H280 Mm	Length of Power Cord:	approx.1.3m
Heating for Stream Time:	30 -60 seconds		
Certificate of approval: CE, CB, GS, RoHs , REACH, LFGB, KC, ISO 9001:2000, ISO 14001:2004			

## FEATURES:

- Revolutionary single serve capsule hot beverage system for coffee, tea, herbal, etc.
- Suitable for Nespresso / Lavazza blue/ Lavazza point/ Cafittaly/Espresso Cap, etc., (Not one time)
- Patented auto used capsule ejection system with collection container up to 12 pcs max.
- Single mechanical button for customized manual coffee volume control(without PCBA);
- Three buttons for different volume choices: short, lungo , customized volume;
- Multi function control knob for coffee or steam selections;

## FEATURES

- Sliding brewing chamber cover;
- Super strong instant steam frothing system(optional);
- Instant heating thermo block boiler keeps no furring and energy saving;
- Removable drip collection tray with s/s grill;
- Removable water tank with visible water level gauge;
- Energy saving system: 8 minutes auto turn off when idle;
- Patented venturi richer crema system for hard capsules;
- Detachable coffee outlet for dishwasher cleaning.

# SMALL EQUIPMENTS



CLASSIC FOUNTAIN



- MADE IN AISI 304 18/10 STAINLESS STEEL
- REQUIRES ONLY 900g OF CHOCOLATE
- CLASSIC STYLISH DESIGN
- EASY TO CLEAN • ADJUSTABLE FEET
- DIM: 22 X 37 H CM. • WEIGHT: 2.2 KG
- CAPACITY: 900g MELTED CHOCOLATE
- ELECTRICAL: AC 220 - 240 V 240 W 50 HZ

CLASSIC FOUNTAIN



## FEATURES:

- Available in stainless steel or Electro Gold Plated.
- Unique modern Design.
- A unique new style of cascading tiers.
- Works on minimum of 3 kg to maximum 6 kg on each side (6 kg - 12kg total).
- Built in Safety system.
- Ideal for buffet restaurants, Hotels and events.
- CE approved.

## SPECIFICATION:

TOTAL HEIGHT: 845 MM  
 HEIGHT OF TOP SECTION: 486 MM  
 WIDTH OF DRUM: 359 MM  
 HEIGHT OF DRUM: 359 MM  
 WIDTH OF BASIN: 408 MM  
 WEIGHT: 25.5 KG  
 ELECTRICAL: 110 / 230 V | 60/50 Hz | 500 W



CASCADE CHOCOLATE FOUNTAIN

## FEATURES:

- THE ONLY TRIPLE chocolate fountain.
- Capacity: minimum 4kg per section (total 8kg), maximum 6kg per section (total 12 kg).
- Patent pending.
- Available in stainless steel or Electro Gold Plated
- Unique modern design.
- Removable bowl.
- A unique new style of sloping tiers.
- Built in Safety system.
- Ideal for buffet restaurants, Hotels and events.
- CE approved.

## SPECIFICATION

- Total height: 1165 mm
- Height of top section: 800 mm
- Width of drum: 367 mm
- Height of drum: 365 mm
- Width of basin: 495 mm
- Weight: 46 kg
- Electrical: 110 / 230V | 60 / 50Hz | 550W

KEBAB ROTISSERIE GRILL



## FEATURES:

- Grill your own rotisserie chicken, shawarma doner kebab, kebab skewers, fish and vegetables.
- Stainless steel • 21 Litre Capacity
- Indicator light and Timer with bell ring

## SPECIFICATION

- Height: 48.7cm • Width: 34cm • Weight: 2.5kg
- Electrical: AC 220/240V 50Hz 1500W



STONE BAKE PIZZA



## FEATURES:

- Make perfect pizza quickly and easily
- Heats up within minutes
- Simple to use and clean
- Stone base for even cooking
- Authentic wooden pizza paddle included

## SPECIFICATION:

- Height: 19cm • Width: 41cm • Weight: 4kg
- Electrical: AC 220/240V 50/60Hz 850 - 1000W



## PROFESSIONAL POPCORN MAKER



### FEATURES:

- Removable kettle. • Removable unpopped Kernels tray.
- Built in warmer deck to keep popcorn at ideal serving temperature.
- Sturdy cabinet construction.
- Finished in stainless steel for a professional finish.
- Popcorn graphic on glass. • Can pop continually.
- Produces 8oz or 16oz of fresh popcorn.

### SPECIFICATION:

- FULL SET UP • Height: 1530 mm • Width: 760 mm
- Depth: 400 mm • Weight: 31.55 kg • MAIN UNIT
- Height: 630 mm • Width: 460 mm • Depth: 385 mm
- Weight: 19.30 kg • CART • Height: 900 mm
- Width: 770 mm • Depth: 400 mm • Weight: 12.25 kg
- Electrical: 230V 50Hz | 860W

## Cone Maker



### FEATURES:

- Pusher system with interlock feature for safe operation.
- Durable Stainless Steel Cutting Blades shave ice in seconds.
- Perfect for making your favourite slushies and snow cones.
- Easy to use, removable ice bin. • Recipes included.
- Fun, classic retro style.
- A blast and so fast, shaves ice for 4 - cones in less than a minute.
- Easy ingredients, Ice cubes and flavoured syrups

### SPECIFICATION:

- Height: 40cm • Width: 32cm • Weight: 3kg
- Electrical: AC 220- 240V 50Hz 80W



# REFRIGERATED COUNTER



## SPECIFICATIONS

TYPE	SALADETTE
DIMENSIONS	139.6 x 70 x 90 CM
VOLUME	1105 LTS
TEMPERATURE	2 °C - 10 °C
CASE MATERIAL	STAINLESS STEEL
DOOR QUANTITY	2
NET WEIGHT	118 KG



## SPECIFICATIONS

TYPE	REFRIGERATOR COUNTER
DIMENSIONS	139.6 x 70 x 85 CM
VOLUME	257 LTS
TEMPERATURE	-2 °C - 8 °C
CASE MATERIAL	STAINLESS STEEL
DOOR QUANTITY	2
NET WEIGHT	250 KG



## SPECIFICATIONS

TYPE	BLAST CHILLER CABINET
DIMENSIONS	79 X 80 X 190 CM
POWER	400 V 50/60 HZ 2.2 KW
TEMPERATURE	3 °C
CASE MATERIAL	STAINLESS STEEL
GN CAPACITY	16
GN CONTAINER SIZE	GN 1/1 -40



## SPECIFICATIONS

TYPE	BLAST CHILLER CABINET
DIMENSIONS	79 X 80 X 85 CM
POWER	230 V 50/60 HZ 1 KW
TEMPERATURE	3 °C
CASE MATERIAL	STAINLESS STEEL
GN CAPACITY	5
GN CONTAINER SIZE	GN 1/1 -20

ITALY



ECG94G - Essence 900

- Fires 3 burner 6KW - 1 burner 9KW
- Supply - Gas
- Dimension - 80 X 90 X 90 CM
- Volume - 1 M<sup>3</sup>

FOUR -BURNER GAS ON OPEN COMPARTMENT

- ❖ Price changes for enhanced kitchens (the change must be requested at time of order) hob gas made of stainless steel AISI 304.
- ❖ Pressed top with 20/10, prepared for the union's head.
- ❖ Standard equipment consists of No. 4 main burners with maximum output of No. 3 and No. 1 to 6 kW 9 kW, fixed tightly to the floor.
- ❖ Smooth power from 1.6 to 6 kW and from 2.5 to 9 kW, through safety valve with thermocouple.
- ❖ Main burner ignition by pilot burner permanent low -power (170 W).
- ❖ Pilot burner and thermocouple are placed under the body of the main burner, protected from accidental impacts and any overflow.
- ❖ Floor with rounded corners for easy cleaning, with RAAF enameled cast iron pan (resistant to acids, alkalis and flame).
- ❖ Available in the version with storage cupboard 80 cm with hinged doors or in the version compartment 80 cm.
- ❖ Height adjustable feet in stainless steel.
- ❖ Four - burner gas on open compartment
- ❖ Changes in the price for upgraded kitchens, each change must be requested at the time

# BLAST CHILLER

RANGE

# RANGE GAS SOLID TOP

SILKO ECG74E



## SPECIFICATIONS

TYPE	GAS COOKER
HEATING ELEMENTS	4
OVEN TYPE	ELECTRIC
GN CONTAINER SIZE	2/1
OVEN POWER	6 KW/400 V
POWER	24 KW/LPG
DIMENSIONS	80 X 73 X 90 CM

SILKO - E DG92142



GAS PASTA COOKER
CLOSED BOTTOM
CUPBOARD
42 LTS
POWER: 14 KW/LPG
DIMENSION:
40 X 90 X 90 CM

SILKO 700



## SPECIFICATIONS

GAS SOLID TOP
CLOSED BOTTOM
CUPBOARD
1 x 9 KW BURNER
9 KW/LPG
80 X 73 X 90 CM

SILKO - FG72115



## SPECIFICATIONS

TYPE	OPEN FRYER
BATHS QUANTITY	1
CAPACITY	15 LTS
OIL DRAIN TAP	TRUE
DIMENSIONS	40 X 70 X 90 CM
GAS POWER	14 KW
CASE MATERIAL	STAINLESS STEEL

ITALY

SILKO CG86HPS



## SPECIFICATIONS

TYPE	GAS RANGE
HEATING ELEMENT	6
QUANTITY	
BAKE OVEN TYPE	GAS
OVEN POWER	8 KW
GAS POWER	42 KW
DIMENSIONS	120 X 90 X 90 CM
NET WEIGHT	118 KG

# FRYER PASTA COOKER

RANGE



SILKO BE62TLC



SPECIFICATIONS

TYPE	FRYING TOP
DIMESIONS	40 x 65 x 29.5 CM
POWER	400 V 50/60 HZ 3.9 KW
TEMPERATURE	300 °C
SURFACE MATERIAL	CHROME -PLATED STEEL
SURACE STRUCTURE	SMOOTH
INSTALLATION TYPE	TABLE
CASE MATERIAL	STAINLESS STEEL

SILKO 900 EFG 92 123 K



SPECIFICATIONS

VERSION GAS	ELECTRONIC CONTROL	VAC 230V 50 HZ
BATH CAPACITY	23 LTS	
VOLUME	0.65 M³	
DIMENSION	40 x 90 x 90 CM	
EQUIPMENTS	2 BASKETS	1 CAP 1 SCREEN BACKGROUND

DESCRIPTION

❖ Gas fryer to a spa with electronic temperature control, made of stainless steel AISI 304 . Plan to union head 20 /10 , with backslash fireplace 300 mm . Cooking tank printed stainless steel AISI 304 , with interior radius . Tank capacity Lt . 23 . Bath with a large front invaded for the expansion of the 'oil and foam and large cold zone for collecting the cooking residues . Heating obtained with stainless steel burners flame optimized, positioned outside the tank . Control and regulation of temperature with precision +/- 1 °C by electronic control unit that displays the temperature . Control provided with melting cycle and maintaining at 100 °C, provided with self -diagnosis for abnormalities Main burner ignition by pilot burner . Electronic Lighter continuous discharge of sparks, with button built into the gas valve control . Safety thermostat with manual reset . Removable filter, basket, cover and collector for the drain cock provided Height adjustable feet in stainless steel

# CUPBOARDS

# SHELVING STORAGE



Armadi e ripiani pensili  
Wall cupboards and shelves  
Hängeschränke und -regale  
Armures et étagères murales

Tavoli armadio  
Cupboards  
Schränktische  
Tables armoires



## SINK UNITS



## WORK TABLES



Scaffali  
Shelving  
Regale  
Étagères



Armadi verticali  
Storage cabinets  
Hochschränke  
Armures



Tavoli specialistici  
Special work tables  
Tische für Spezialanwendungen  
Tables spéciales

Tavoli e piani da lavoro  
Tables and work tops  
Tische und Arbeitstische  
Tables et plans de travail



## OVENS



## SILKO DGM010



## SPECIFICATIONS

TYPE	COMBI	OVEN
DIMENSIONS	94.5 X 79 X 14.5 CM	
LEVELS	10	
STEAM GENERATION TYPE	STEAM GENERATOR (BOILER)	
GN SIZE	GN 1/1 -65	
CASE MATERIAL	STAINLESS	STEEL
POWER	230V 50/60	HZ 1 KW
GAS POWER	28 KW	

## SILKO DEC010



## SPECIFICATIONS

TYPE	CONVECTION	OVEN
DIMENSIONS	94.5 X 79 X 108 CM	
LEVELS	10	
STEAM GENERATION TYPE	STEAM GENERATOR (BOILER)	
GN SIZE	GN 1/1 -65	
CASE MATERIAL	STAINLESS	STEEL
POWER	400 V 50/60HZ	16 KW
CONVECTION	TRUE	



# BAIN MARIE PIZZA OVEN



## SPECIFICATIONS

TYPE	PIZZA OVEN
PIZZA CAPACITY	8 PIECES
DIMENSIONS	97.5 X 92.5 X 74.5 CM
WORK DIMENSION	66 X 66 X 13.5 CM
TEMPERATURE	450 °C
NET WEIGHT	135 KG
POWER	400V 50/60 HZ 9 KW



## SPECIFICATIONS

TYPE	BAIN MARIE
DIMENSIONS	87.5 X 41.5 X 33 CM
TEMPERATURE	0 °C TO 90 °C
GROSS WEIGHT	16 KG
GN SIZE	1/3 -200
POWER	230 V 50/60 HZ 1 KW
CASE MATERIAL	STAINLESS STEEL



## SPECIFICATIONS

TYPE	CONVECTION OVEN
LEVELS	4
ENERGY SOURCE	ELECTRICITY
DIMENSION	59.5 X 57 X 57 CM
TEMPERATURE	50 - 300 °C
NET WEIGHT	40 KG
POWER	230 V 50/60 HZ 2.5 KW



## SPECIFICATIONS

TYPE	HEATED DISPLAY UNIT
CAPACITY	120 LTS
DIMENSIONS	86.5 X 56.8 X 67 CM
TEMPERATURE	30 -90 °C
NET WEIGHT	50 KG
POWER	230 V 50/60 HZ 1.5 KW

# CONVECTION OVEN HOT SHOWCASE

# COLD SHOWCASE THERMOS



## SPECIFICATIONS

TYPE	REFRIGERATED	DISPLAY CASE
CAPACITY	120 LTS	
DIMENSIONS	97.5 X	92.5 X 74.5 CM
TEMPERATURE	2-12 °C	
NET WEIGHT	64 KG	
POWER	230 V	50/60 HZ 0.164 KW



## SPECIFICATIONS

TYPE	HOT WATER	URN
CAPACITY	18 LTS	
DIMENSIONS	25 x	51 CM
NET WEIGHT	4.2 KG	
POWER	230 V	50/60 HZ 1.2 KW



## SPECIFICATIONS

TYPE	HAMBURGER PRESSER
DIMENSIONS	10 CM
NET WEIGHT	5.2 KG



## SPECIFICATIONS

TYPE	Drip	-brew coffee maker
VOLUME	1.6 LTS	
DIMENSIONS	21.5 X 38 X	46 CM
TEMPERATURE	2-12 °C	
NET WEIGHT	6.4 KG	
POWER	230 V	50/60 HZ 2 KW
CONTAINER	MATERIAL	GLASS
LID MATERIAL		PLASTIC
CASE MATERIAL		STAINLESS STEEL



## SPECIFICATIONS

TYPE	MILK SHAKER	
VOLUME	500 ML	
DIMENSIONS	26 X 17 X	49 CM
SPEED	R.P.M. 15.000	
POWER	230 V 50/60 HZ 0.8 KW	



## SPECIFICATIONS

TYPE	TROLLEY
NET WEIGHT	9 KG
4 SWIVEL CASTORS	2 WITH BRAKES

# COFFEE MACHINE MILK SHAKER

# HAMBURGER PRESSER TROLLEY

ITALY

## REFRIGERATOR WITH DOUBLE DOOR REFRIGERATOR WITH GLASS DOOR



### SPECIFICATIONS

TYPE	GN WITH DOUBLE DOOR
CAPACITY	1410 LTS
TEMPERATURE	-2/+8 °C
DIMENSIONS	84 X 141 X 210 H CM
POWER	220 V/50 HZ 0.39 KW
WEIGHT	224 KG



### SPECIFICATIONS

TYPE	GN 2/1 SIZE REFRIGERATOR WITH GLASS DOOR
CAPACITY	1410 LTS
TEMPERATURE	-2/+8 °C
DIMENSIONS	84 X 138 X 210 H CM
POWER	220 V/50 HZ 0.41 KW
WEIGHT	234 KG



### SPECIFICATIONS

TYPE	S/S LOWER DRIVE
DIMENSIONS	78 x 53 x 65 CM
POWER	5.4 KW 400/230 V
SKEWER	73.6 CM
MEAT CAPACITY	50 KG
NET WEIGHT	28 KG



### SPECIFICATIONS

TYPE	GAS BARBECUE
BURNERS	2
GAS TYPE	NATURAL GAS:LPG
CONSUMPTION	0.259 M³/H
NATURAL GAS	
LPG	0.394 KG/H
DIMENSIONS	32 X 19 X 37 CM
POWER	5 KW
WEIGHT	4.67 KG



### SPECIFICATIONS

TYPE	PLANET MIXER
------	--------------

Main body, mixing tools and bowls are made of stainless steel

3 different tools for beating, mixing, kneading

It operates with speed control inverter and It can

operate in different speeds between 40 -160 tour minutes

It operates without noise and vibration

The safety guard is switch controlled



#### SPECIFICATIONS

TYPE	REFRIGERATOR COUNTER WITH DOUBLE DOOR
CAPACITY	252 LTS
TEMPERATURE	-2/ + 8 °C
DIMENSIONS	60 X 142 X 85 H CM
POWER	220V/50HZ 0.30 KW
WEIGHT	122 KG



#### SPECIFICATIONS

TYPE	PREPARATION COLD UNIT WITH GLASS
GN CAPACITY	6 x GN ¼
TEMPERATURE	+2/ + 8 °C
DIMENSIONS	142 X 34 X 44 CM
POWER	220V/50HZ 0.2 KW
WEIGHT	45 KG



OSYMS

#### DESCRIPTION

- ❖ Stainless steel body
- ❖ Water pressure adjustable, Without drying
- ❖ Washing tank specially designed for easy cleaning
- ❖ Water overflow prevention system
- ❖ Leaf vegetables 4 - 6 kg/hour
- ❖ Heavy vegetables 10 - 15 kg/hour
- ❖ Pressing part remove easily
- ❖ The level of the appliance is adjustable
- ❖ Electrical components are separated in the appliance
- ❖ Electrical connection (D -E): 200
- ❖ 200 MM

#### HOODTYPE INDUSTRIAL DISH WASHER



Model OBM 1080

#### DESCRIPTION

- ❖ Stainless steel body.
- ❖ Washing tank is mono block and gastronomic size, hygienic
- ❖ 3 Selectable washing programmers  
Cycle 52 / 102 / 132 seconds
- ❖ Saves energy, detergent and water
- ❖ Washing arms both available in stainless steel and reinforced polypropylene
- ❖ Adjustable feet for height optimization
- ❖ Easy start up: one button to fill in and heat water in the boiler tank
- ❖ Electrical components and cabling according to international standards and security regulations
- ❖ Thermostat -controlled rinse and washing temperature for efficient washing
- ❖ Non -return - Check valve system
- ❖ 69 racks per hour (Rack dimension 50 x 50 CM)
- ❖ Electrical connection (D -E):200
- ❖ 45 MM
- ❖ Water connection (F -G -N): 60



#### SALAD BAR

Unit is made of Aisi 304 cr.-ni . Under need refrigerator with 2 doors and suitable for GN 1/1 size. Plexiglas roofing can be electrically raised and lowered, analogue thermometer, roof light.

#### COLD BANQUET TROLLEY

Inside and outside of body made of stainless steel Aisi 304 cr.-ni . Environment friendly insulation polyurethane injection at the density of 32-35 kg. M3. GN 2/1 tray can be fitted. Special key -locking. The refrigeration is ventilated, plastic coated adjustable wire shelves. Digital thermometer. Wheels.

#### GLASS DOOR BANQUET TROLLEY

Unit is made of completely Aisi 304 cr.-ni stainless steel. Isolated with glass wool and special stones to prevent any heat losses. Thermostat can be operated between 30 -90. Analogue thermometer(digital thermometer is optional)

#### Rack stacking trolley

Units are made of Aisi 304 stainless steel.



#### DESCRIPTION

- ❖ Internal and external structure in stainless steel.
- ❖ Mono block body, Environment friendly insulation polyurethane injection at the density 50 - 55 KG/M3
- ❖ Operating temperature +65/+70 ° C.
- ❖ The ventilated heated system with electrical resistance.
- ❖ Digital Thermometer Thermostat control; external digital temperature display.
- ❖ Cavity drain ❖ Wheels ❖ 11 pieces GN 2/1
- ❖ 100 gastro norm container ❖ Glass doors ❖ Key locking

ELECTRICAL FREQUENCY	50 HZ
ELECTRICAL POWER	2
ELECTRICAL VOLT	220 V NPE
HEIGHT	1.760 MM
LENGTH	770 MM
MODEL	OBAC 70180
NET WEIGHT	120 KG



# PROFESSIONAL WASHER



## FEATURES

- ❖ Stainless steel look
- ❖ Stainless steel drum and tub
- ❖ Easy to use timer mop and medical program
- ❖ Soap hopper at the front
- ❖ Matching dryer available space saving when placed on top
- ❖ Draining pump

## OPTIONS

- ❖ External coin meter
- ❖ Draining valve
- ❖ Liquid soap pumps

CAPACITY	6.5KG
DRUM VOLUME	60 L
DRUM DIAMETER	Ø 48 CM
EXTRACTION SPEED	1400 RPM
G-FACTOR	530
ELECTRICAL CONNECTION	1×230 -400 V 50 HZ 3×400 V 50 HZ
ELECTRICAL HEATING	3.2 KW
CIRCUIT BREAKER	230 V -10A/400V -16A
WATER CONNECTION	3/4"
DRAIN	Pump Standard drain valve available

DIMENSIONS (H × W × D)	85 × 59.5 × 58.5 CM
FOIL PACKING (H × W × D)	91.5 × 61 × 66 CM
NET WEIGHT	73 KG
GROSS WEIGHT	77 KG
VOLUME (PACKED)	0.53 M <sup>3</sup>
LSC65	- Professional Washer Extractor



## FEATURES

- ❖ Large capacity - 6 kg
- ❖ Stainless steel cabinet (AISI 304)
- ❖ Stainless steel drum and tub
- ❖ Easy to use timer, economy program, mop program
- ❖ Short washing cycle
- ❖ Large drain valve (diam. 50mm)
- ❖ Soap hopper on the front
- ❖ Matching dryer available - space saving when placed on top
- ❖ Frequency controlled motor
- ❖ Power Wash<sup>®</sup> perforated lifting ribs: more mechanical action, lower water consumption

## OPTIONS

- ❖ External coin meter
- ❖ Drain pump

CAPACITY	6 KG
DRUM VOLUME	60 LTS
DRUM DIAMETER	Ø 53 CM
FREQUENCY CONTROLLED MOTOR	STANDARD
EXTRACTION SPEED	1150 RPM
G-FACTOR	390
ELECTRICAL CONNECTION	1×220-240 V 50/60 HZ 3×220-240 V 50/60 HZ 3×380-440 V 50/60 HZ 1×380-440 V 50/60 HZ
ELECTRICAL HEATING	STANDARD 6 KW OPTIONAL 3 OR 9 KW
WARM WATER CONNECTION (MAX 70 °C)	3/4"
COLD WATER CONNECTION	3/4"
DRAIN VALVE	STANDARD
PUMP	AVAILABLE
DIMENSIONS (H × W × D)	94 × 68.5 × 64.5 CM
FOIL PACKING (H × W × D)	106 × 71 × 74 CM
NET WEIGHT	160 KG
GROSS WEIGHT	165 KG
VOLUME (PACKED)	0.54 M <sup>3</sup>
WATER CONSUMPTION	40+8 L
(COLD AND HOT WATER PER CYCLE*)	
LA 60	- Professional Washer Extractor

# PROFESSIONAL WASHER

## COMMERCIAL WASHER



CAPACITY	7 KG
DRUM VOLUME	65 L
DRUM DIAMETER	Ø 53 CM
WASH SPEED	49 RPM
EXTRACTION SPEED	1165 RPM
G-FACTOR	400
ELECTRICAL HEATING	STANDARD 6 KW
	OPTIONAL 9 KW
STEAM HEATING	1 - 8 BAR
HOT WATER HEATING	90 °C
WATER VALVES CONNECTION	3/4"
WATER PRESSURE	100 - 800 KPA
RECOMMENDED WATER PRESSURE	300 - 500 KPA
WATER INLET	20 L/MIN
DRAIN VALVE	Ø 76 MM
FLOW AMOUNT WITH DRAIN VALVE	210 L/MIN
STEAM VALVE CONNECTION	1/2"
STEAM PRESSURE	100 - 800 KPA
DIMENSION (H×W×D)	111.5 X 71 X 74 CM
WEIGHT NETTO	170 KG
SOUND PRESSURE LEVEL	65 DB(A)
LH 60	- COMMERCIAL WASHER

### FEATURES

- ❖ Large capacity - 7 kg
- ❖ Stainless steel top panel & Anthracite grey front and side panels
- ❖ Patented soap hopper
- ❖ New perforation of inner drum (Cascade)
- ❖ Large drain valve (Ø 76 mm)
- ❖ Frequency controlled motor
- ❖ Easy access to all vital parts from the front
- ❖ Large door opening for easy loading & unloading

### OPTIONS

- ❖ Control Plus - Fully programmable
- ❖ Coin operated timer (CPS)
- ❖ USB plug (on the back panel)
- ❖ Stainless steel front and side panels
- ❖ Easy soap - Liquid soaps connection
- ❖ Liquid soap pumps
- ❖ Water recovery kit
- ❖ Steam heating version
- ❖ Drain pump

LDRMC 120 - PROFESSIONAL TUMBLER DRYER



CAPACITY	6.5 KG
DRUM VOLUME	111 LTS
DRUM DIAMETER	Ø 57.1 CM
ELECTRICAL CONNECTION	1 × 230 V 50 HZ 3 × 400 V 50 HZ
ELECTRICAL HEATING	2.5 KW
CIRCUIT BREAKER	230 V - 10 A 400 V - 16 A
AIRFLOW	123 M <sup>3</sup> /H
AIR EVACUATION	
DIMENSIONS	85 × 59.5 × 59.5 CM
TRANSPORT DIMENSIONS	91.5 × 61 × 66 CM
NET WEIGHT	47KG
CARDBOARD PACKING	50 KG
PACKED VOLUME	0.53 M <sup>3</sup>

### FEATURES

- ❖ Stainless steel look
- ❖ Stainless steel drum and tub
- ❖ Large door opening (Ø 45 CM)

### OPTIONS

- ❖ External coin meter
- ❖ Condense unit

LSD 300 - COMMERCIAL TUMBLER DRYER



CAPACITY	2×13 KG
DRUM VOLUME	2×285 LTS
DRUM DIAMETER	2×Ø 76 M
NUMBER OF DRUMS	2
NUMBER OF LOADING DOORS	2
AIRFLOW	1050 M <sup>3</sup> /H
DRYING AVERAGE	2X 225 G/MIN
MOTORS	
FAN	2×0.75 KW
DRIVE GAS HEATING	2×0.25 KW
GAS CONNECTION	2×3/4 INCH
ELECTRICAL CONNECTION	3×380-415V 50HZ 3×220-240V 50HZ 1×220-240V 50HZ
ENERGY	2×19.5 KW
STEAM HEATING	2×66.5 KBTU/H
STEAM CONNECTION	2×3/4 INCH NPT
ELECTRICAL CONNECTION	3×220-240V 50HZ 1×220-240V 50HZ 3×380-415V 50HZ
STEAM OUTPUT (DEPENDING ON STEAM PRESSURE)	2×19.5-27 KW
STEAM PRESSURE	3-6/7-10 BAR
ELECTRICAL HEATING	
ELECTRICAL CONNECTION	3×220-240V 50 HZ 3×380-415V 50 HZ
ENERGY (ECT)	2×18 KW
EASY CONTROL - ANTIVANDAL	STANDARD
FULL CONTROL (FCT)	AVAILABLE
EXHAUST	Ø 200 MM
DIMENSIONS (H×W×D) (H×W×D)	203 × 79.5 × 124 CM
TRANSPORT DIMENSIONS	212 × 88 × 132.5 CM
NET WEIGHT	370 KG1
CARDBOARD PACKING	385 KG

### FEATURES

- ❖ Standard stainless steel drum with large diameter
- ❖ Easy -to -use microprocessor
- ❖ Combination of Radial and Axial airflow
- ❖ RADAX<sup>®</sup> concept: - maximal heat transfer  
- low energy consumption  
- short drying time
- ❖ Large door opening for easy loading and unloading

### OPTIONS

- ❖ Coin operated version
- ❖ Reversing drum
- ❖ Full Control programmer
- ❖ Residual moisture control Sensory - safe drying of delicate linen
- ❖ Stainless steel front
- humidity detection in %
- ideal in combination with Soft Wash
- ideal for dry cleaners, fire depts.
- available on Easy and Full Control

# PROFESSIONAL IRONER

# COMMERCIAL IRONER

LR 2510  
PROFESSIONAL FLATWORK IRONER



## FEATURES

- ❖ Safety finger protection and emergency button for more safety
  - ❖ Foot pedal for easy start and stop operation
  - ❖ Unlimited variable temperature control
  - ❖ High ironing pressure
  - ❖ Automatic lifting and lowering of the heating bed
  - ❖ Built - in large laundry box
  - ❖ Cabinet in galvanized steel
  - ❖ Space saving installation against the wall is possible: front return
- Electric heating

ROLLER DIAMETER	25 CM
ROLLER LENGHT	100 CM
ROLLER SPEED	3.9 M/MIN
OUTPUT	30 KG/H
RESIDUAL MOISTURE	10 - 15 %
HEATING	ELECTRICAL
COIN METER	AVAILABLE
CONSUMPTION	
HEATING ELEMENTS	5 KW
BED MOTOR	0.18 KW
ROLLER MOTOR	-
CONNECTION	3 × 380 - 400V 50 HZ
	OTHERS ON REQUEST
DIMENSIONS (H × W × D)	100.5 × 140 × 42 CM
TRANSPORT DIMENSIONS (H × W × D)	115 × 148 × 50 CM
NET WEIGHT	100 KG
GROSS WEIGHT	119 KG
VOLUME (PACKED)	0.85 M <sup>3</sup>

LSR 3316  
COMMERCIAL FLATWORK IRONER



ROLLER DIAMETER	32 CM
ROLLER LENGHT	166.4 CM
ELECTRIC HEATING	24.3 KW
GAS HEATING	25 KW
ROLLER MOTOR	0.18 KW
FAN MOTOR	0.095 (50HZ); 0.125 (60HZ) KW
IRONING CAPACITY*	
ELECTRICAL HEATING	62 KG/H
GAS HEATING	58 KG/H
ROLLER SPEED	1 - 6 M/MIN.
ELECTRIC CONNECTION	3 × 208 - 240 V 50/60 HZ 3 × 380 - 415 V+N 50/60 HZ
DIMENSIONS (H × W × D)	111 X 208.4 X 75.5 CM
TRANSPORT DIMENSIONS (H × W × D)	124.5 X 218.5 X 75.5 CM
NET WEIGHT	410 KG
GROSS WEIGHT	460 KG

## FEATURES

- ❖ Large surface contact with linen over an angle of 300°
- ❖ Finger protection and emergency button for more safety
- ❖ Durable NOMEX ironing belts
- ❖ Automatic cool down
- ❖ Easy to operate microprocessor
- ❖ Indication of ironing speed and temperature
- ❖ Frequency controlled motor
- ❖ Space saving installation against the wall is possible: front return

## OPTIONS

- ❖ Coin operated version
- ❖ Chrome - plated cylinder for better thermal conduction and ironing quality
- ❖ Overheating check system (OCS) with 3 temperature sensors
- ❖ Pedal of insert table stop system
- ❖ Exhaust output on the right

## Royal Art Kitchen Equipment Co

P.O box: 9689 Doha Qatar

Tel:+974 44880711

Tel:+974 44880722

Tel:+974 44880733

Fax:+974 44880744

Mob :+974 70710043 - +974 70730096

Web: [www.royalartqatar.net](http://www.royalartqatar.net)

Email: [royal@royalartqatar.net](mailto:royal@royalartqatar.net)

[info@royalartqatar.net](mailto:info@royalartqatar.net)

[sales@royalartqatar.net](mailto:sales@royalartqatar.net)

[accounts@royalartqatar.net](mailto:accounts@royalartqatar.net)